Terminalpressningsverktyg för Dupont 2.0 och 2.54

Model No. JW-AP28



SPECIFICATIONS

Terminaltyper	Dupont 2.0 och 2.54
Material	Mässingspressform
Användning	Terminalpressning, kabeltillverkning
Komponenter	Applicatorblad, precisionsblad, avmatningsblad


Terminaler Krimpformsbladmaskinsatser Terminalapplikatorblad för Dupont 2.0 och 2.54 terminal mässingspressform, Precisionsblad för kabelskärmaskin för trådavtagningsmaskin, Otp-blad, avmatningsblad, trådskärmaskinblad

Special blade for OTP terminal machine

Tungsten steel/white steel/high speed steel



Product parameter



Selected high-quality DC53 steel

High-quality quality comes from high-quality raw materials and equipment



▲

High quality DC53 steel

Select high-quality DC53 steel, each piece of steel will be strictly tested before processing to ensure the quality of the steel

▶

US Niton spectrometer detects material



36 processes

Strictly control every process

Vacuum quenching process

Under the condition of vacuum quenching heat treatment, the retained austenite is almost completely decomposed, which can eliminate surface oxidation and decarburization to achieve a clean surface without deterioration layer, and maintain high toughness even with strong hardness

36 process processing

The oxidation and decarburization of the heated blade surface are completely eliminated, and a clean surface without deteriorating layer can be obtained. At the same time, it is very important to improve the cutting performance of the tool. No pollution to the environment, no need for three waste treatment.



Raw materials



Processing semi-finished products



Finished product


Conventional terminal machine blade






杜邦2.0
上内刀
1.2*1.2
杜邦2.0
上外刀
1.4*1.4
杜邦2.0
下外刀
1.4*1.4


杜邦2.54
上内刀
2.5*1.3
杜邦2.54
上外刀
2.6*1.6R
杜邦2.54
下内刀
2.6*1.3
杜邦2.54
下外刀
2.6*1.6


JC2.0
上内刀
1.6*1.2*1.3
JC2.0
上外刀
2.2*1.0*1.5
JC20
下内刀
1.7*1.3
JC2.0
下外刀
2.2*1.5


JC25
上内刀
2.6*1.2*1.5
JC25
上外刀
1.4*1.0*1.8
JC25
下内刀
2.7*1.5
JC25
下外刀
1.4*1.8


XT60
4.8*7.0*3.0
4.8*7.0*3.0


250
4.2*3.6
250
4.3*2.8
4.2*3.6
4.8*2.8

A lot of spot supply

High precision, quality assurance,
support custom-made, factory direct sales







Terminals Crimping Mold, Terminal Applicator Blades, Terminal Brass Press Die